Physica C 169 (1990) 509–517
North-Holland

AUTHOR INDEX TO VOLUME 169

Adachi, H., see T. Matsushima	169 (1990) 285
Adachi, H., see S. Adachi	169 (1990) 377
Adachi, S., H. Adachi, K. Setsune and K. Wasa, X-ray Rietveld study of nonsuperconducting "0212" cuprate; $La_{1.6}Sr_{0.4}CaCu_2O_y$	169 (1990) 377
Akselrud, L.G., see A.L. Kharlanov	169 (1990) 469
Al Shamma, F. and J.C. Fuggle, A bibliography for high energy spectroscopy studies of high-T_c superconductors (1987–1989)	169 (1990) 325
Amelinckx, S., see T. Krekels	169 (1990) 457
Andersson, M., see S.H. Han	169 (1990) 250
Antipov, E.V., see A.L. Kharlanov	169 (1990) 469
Aoki, S., see Y. Kuwasawa	169 (1990) 39
Atake, T., see Q.-Z. Zhang	169 (1990) 451
Bando, Y., see T. Tamura	169 (1990) 299
Barry, J.C., see Z. Iqbal	169 (1990) 396
Bazhenov, A.V., A.A. Maksimov, D.A. Pronin, I.I. Tartakovskii and V.B. Timofeev, Influence of oxygen concentration on the two-magnon light scattering spectra in $YBa_2Cu_3O_{6+x}$ single crystals	169 (1990) 381
Beach, D.B., see R.C. Taylor	169 (1990) 35
Beech, F., see M. Marezio	169 (1990) 401
Beňačka, Š., see M. Maheľ	169 (1990) 429
Bernasconi, A., see A. Schilling	169 (1990) 237
Bhagat, S.M., see G. Shaw	169 (1990) 257
Bocquet, A.E., S. Ogawa, H. Eisaki, H. Takagi, S. Uchida, A. Fujimori and S. Suga, Electronic structure of $Bi_2Sr_2CaCu_2O_8$ by photoemission and Brehmsstrahlung isochromat spectroscopy	169 (1990) 1
Boekholt, M. and G. Güntherodt, Polarization and temperature dependent electronic Raman scattering of superconducting $Bi_2Sr_2CaCu_2O_{8+\delta}$ single crystals	169 (1990) 436
Böhm, M.C., A comparative theoretical analysis of superconducting organic charge transfer salts and high-T_c cuprates	169 (1990) 152
Brändas, E.J., see L.J. Dunne	169 (1990) 501
Bringley, J.F., see R.C. Taylor	169 (1990) 35
Brown, I.D., Maximum transition temperatures and bond valence sums in copper oxide superconductors. The influence of internal strain	169 (1990) 105
Bullock, G.L., B.S. Shivaram and D.G. Hinks, Longitudinal ultrasound in the heavy electron superconductor URu_2Si_2	169 (1990) 497
Capponi, J.J., see M. Marezio	169 (1990) 401
Carbotte, J.P., see H. Chi	169 (1990) 55
Cava, R.J., see M. Marezio	169 (1990) 401
Chen, Q., see S.H. Han	169 (1990) 250

Chi, H. and J.P. Carbotte, Slope of specific heat jump in a two-band model 169 (1990) 55
Chiang, C.K., see Y.T. Huang 169 (1990) 76
Choudhury, P., see P. Mandal 169 (1990) 43
Cost, J.R., see J.D. Thompson 169 (1990) 265
Crow, J.E., see G. Shaw 169 (1990) 257

Dabrowski, B., see S. Pei 169 (1990) 179
Dalichaouch, Y., see H. Iwasaki 169 (1990) 146
Das, A.N., see P. Mandal 169 (1990) 43
De Boer, F.R., see J.N. Li 169 (1990) 81
De Jonge, W.J.M., see J.H.P.M. Emmen 169 (1990) 418
De Kraan, M., see T. Krekels 169 (1990) 457
De Leeuw, D.M., see T. Krekels 169 (1990) 457
Dennis, K.W., see Y. Xu 169 (1990) 205
Dulčić, A., see M. Požek 169 (1990) 95
Dunlap, B.D., see W. Peng 169 (1990) 23
Dunne, L.J., J.N. Murrell and E.J. Brändas, Off-diagonal long range order from repulsive electronic correlations in the ground state of a two-dimensional localised model of a high-T_c cuprate superconductor 169 (1990) 501

Eibl, O., Atomic modulation functions and structure factors for displacively modulated, high-T_c $Bi_2Sr_2CaCu_2O_{8+\delta}$ 169 (1990) 441
Eisaki, H., see A.E. Bocquet 169 (1990) 1
Emmen, J.H.P.M., G.M. Stollman and W.J.M. de Jonge, Frequency and field dependence of the irreversibility line in a $YBa_2Cu_3O_{7-\delta}$ film 169 (1990) 418
Englman, R., B. Halperin and M. Weger, Jahn–Teller (reverse sign) mechanism for superconductive pairing 169 (1990) 314
Escudero, R., see F. Morales 169 (1990) 294
Evetts, J., see J. MacManus 169 (1990) 193

Franse, J.J.M., see J.N. Li 169 (1990) 81
Fray, D., see J. MacManus 169 (1990) 193
Fuggle, J.C., see F. Al Shamma 169 (1990) 325
Fujimori, A., see A.E. Bocquet 169 (1990) 1
Fukuda, T., see T. Kajitani 169 (1990) 227

Gamayumov, K., see V.I. Simonov 169 (1990) 123
Gerstenberg, H., see W. Schindler 169 (1990) 117
Ghosh, B., see P. Mandal 169 (1990) 43
Gippius, A.A., see A.L. Kharlanov 169 (1990) 469
Gong, C.D., see C. Zhou 169 (1990) 245
Goodenough, J.B., see P. Lightfoot 169 (1990) 15
Goodenough, J.B., see P. Lightfoot 169 (1990) 464
Guan, W., see D.-M. Zhu 169 (1990) 201
Güntherodt, G., see M. Boekholt 169 (1990) 436

Halperin, B., see R. Englman 169 (1990) 314

Han, P.D., see J.R. LaGraff 169 (1990) 355
Han, S.H., Z. Hegedüs, M. Andersson, M. Nygren, Y.F. Yan, Q. Chen, Y.N. Wei, Y.S. He and Ö. Rapp, Study of upper critical field $H_{c2}(T)$ in doped Bi–Sr–Ca–Cu–O superconductors with 100 K phase 169 (1990) 250
Hatta, S., see T. Matsushima 169 (1990) 285
He, Y.S., see S.H. Han 169 (1990) 250
Hegedüs, Z., see S.H. Han 169 (1990) 250
Hewat, E.A., see M. Marezio 169 (1990) 401
Hinks, D.G., see S. Pei 169 (1990) 179
Hinks, D.G., see F. Morales 169 (1990) 294
Hinks, D.G., see G.L. Bullock 169 (1990) 497
Hiraga, K., see T. Kajitani 169 (1990) 227
Hirata, K., see T. Tamura 169 (1990) 299
Hlubina, R., see M. Mahel 169 (1990) 429
Hosoya, S., see T. Kajitani 169 (1990) 227
Huang, J. and A.W. Sleight, Single crystal structure refinement of a nonsuperconducting compound containing oxidized CuO_2 sheets: $Nd_{1.7}Bi_{0.1}Sr_{0.9}Ca_{0.3}Cu_2O_6$ 169 (1990) 169
Huang, Y.T., C.Y. Shei, W.N. Wang, C.K. Chiang and W.H. Lee, Formation mechanism of 110 K high-T_c superconducting phase in the Ca- and Cu-rich Bi–Pb–Sr–Ca–Cu–O system 169 (1990) 76
Hulliger, F., see A. Schilling 169 (1990) 237
Hults, W.L., see G.H. Kwei 169 (1990) 217

Ichikawa, Y., see T. Matsushima 169 (1990) 285
Ichinose, A., see T. Maeda 169 (1990) 133
Iijima, K., see T. Tamura 169 (1990) 299
Iqbal, Z., B.L. Ramakrishna and J.C. Barry, Synthesis, microstructure and superconducting properties of Ce-doped Tl–Sr–Ca–Cu–O 169 (1990) 396
Iwasaki, H., Y. Dalichaouch, J.T. Markert, G. Nieva, C.L. Seaman and M.B. Maple, On narrowing of the resistive superconducting transition in applied magnetic fields and positive curvature in $H_{c2}(T)$ in the $(Gd_{1-x}Pr_x)Ba_2Cu_3O_{7-\delta}$ system 169 (1990) 146

Jha, S.S., On electronic Raman scattering from high-T_c layered superconducting materials 169 (1990) 87
Jia, C.L., B. Kabius, H. Soltner, U. Poppe and K. Urban, On a new phase with body-centered structure in $YBa_2Cu_3O_7$ thin films 169 (1990) 279
Jorgensen, J.D., see P. Lightfoot 169 (1990) 15
Jorgensen, J.D., see S. Pei 169 (1990) 179
Jorgensen, J.D., see P. Lightfoot 169 (1990) 464

Kabius, B., see C.L. Jia 169 (1990) 279
Kadowaki, K., see J.N. Li 169 (1990) 81
Kaga, H. and T. Saikawa, Effects of electron and hole dopings on the superconducting pairings of quasiparticles in the three-band CuO_2 model 169 (1990) 485
Kajitani, T., K. Hiraga, S. Hosoya, T. Fukuda, K. Oh-Ishi, M. Kikuchi, Y. Syono, S. Tomiyoshi, M. Takahashi and Y. Muto, Electric and structural changes in $Nd_{2-x}Ce_xCuO_{4-y}$ with $x \leqslant 0.2$ 169 (1990) 227

Kamiya, K., see J. Tanaka 169 (1990) 275
Kao, Y.H., see L.W. Song 169 (1990) 107
Karimov, Yu.S. and A.D. Kikin, New relaxation phenomena in high-T_c ceramic superconductors 169 (1990) 50
Kes, P.H., see J.N. Li 169 (1990) 81
Khalil, A.E., Weak links, flux creep and magnetic noise limitations on device applications of high temperature superconductors 169 (1990) 100
Kharlanov, A.L., E.V. Antipov, L.M. Kovba, L.G. Akselrud, I.G. Muttik, A.A. Gippius and V.V. Moshchalkov, The new family of complex copper oxides with possible superconducting properties: $Pb_2Sr_2R_{1.33}Ce_{0.67}Cu_3O_{10+\delta}$ 169 (1990) 469
Kikin, A.D., see Yu.S. Karimov 169 (1990) 50
Kikuchi, M., see T. Kajitani 169 (1990) 227
Kimball, C.W., see W. Peng 169 (1990) 23
Koriyama, S.-I., see T. Maeda 169 (1990) 133
Koshizuka, N., see K. Yamaguchi 169 (1990) 289
Kovba, L.M., see A.L. Kharlanov 169 (1990) 469
Krekels, T., G. van Tendeloo, S. Amelinckx, D.M. de Leeuw and M. de Kraan, Planar defects in $YBa_2Cu_4O_8$ 169 (1990) 457
Kresin, V.Z. and S.A. Wolf, Multigap structure in the cuprates 169 (1990) 476
Kuwasawa, Y., T. Yamaguchi, T. Tosaka, S. Aoki and S. Nakano, Anisotropy of critical current in $YBa_2Cu_3O_x$ film and NbZr/Nb multilayer 169 (1990) 39
Kuznetsov, A.A., see A.N. Terentiev 169 (1990) 112
Kwei, G.H., A.C. Larson, W.L. Hults and J.L. Smith, Temperature dependence of the structure of $YBa_2Cu_3O_7$. The role of the axial oxygens 169 (1990) 217
Kwei, G.H., see J.D. Thompson 169 (1990) 265

LaGraff, J.R., P.D. Han and D.A. Payne, Electrical measurements near the orthorhombic–tetragonal phase transformation in single crystal $YBa_2Cu_3O_{7-\delta}$ 169 (1990) 355
Larson, A.C., see G.H. Kwei 169 (1990) 217
Lee, W.H., see Y.T. Huang 169 (1990) 76
Li, J.N., F.R. de Boer, L.W. Roeland, M.J.V. Menken, K. Kadowaki, A.A. Menovsky, J.J.M. Franse and P.H. Kes, High-field magnetization of single-crystalline $YBa_2Cu_3O_7$ 169 (1990) 81
Lightfoot, P., S. Pei, J.D. Jorgensen, X.-X. Tang, A. Manthiram and J.B. Goodenough, Interstitial anions in the T* structure 169 (1990) 15
Lightfoot, P., see S. Pei 169 (1990) 179
Lightfoot, P., S. Pei, J.D. Jorgensen, X.-X. Tang, A. Manthiram and J.B. Goodenough, Oxygen-defect structure of non-superconducting $La_{1.85}Sr_{1.15}Cu_2O_{6.25}$. Excess oxygen in the interlayer site 169 (1990) 464
Lyubutin, I.S., V.G. Terziev, E.M. Smirnovskaya and A.Ya. Shapiro, Controlled oxygen removal in the high-T_c $YBa_2(Cu_{1-x}Fe_x)_3O_{7-y}$ system and its influence on superconductivity and local structure 169 (1990) 361

MacManus, J., D. Fray and J. Evetts, An electrochemical method for the determination of the chemical diffusion coefficient of oxygen in $Y_1Ba_2Cu_3O_{7-x}$ as a function of vacancy concentration 169 (1990) 193
Maeda, T., K. Sakuyama, S.-I. Koriyama, A. Ichinose, H. Yamauchi and S. Tanaka, New superconducting cuprates (Pb, Cu)(Eu, Ce)$_2$(Sr,Eu)$_2$Cu$_2$O$_z$ 169 (1990) 133

Mahel, M., R. Hlubina and Š. Beňačka, Microwave study of the critical state in granular $YBa_2Cu_3O_x$ thin films 169 (1990) 429
Maksimov, A.A., see A.V. Bazhenov 169 (1990) 381
Maletta, H., Effects of oxygen removal in superconducting $ErBa_2Cu_3O_x$ 169 (1990) 371
Mandal, P., A. Poddar, A.N. Das, B. Ghosh and P. Choudhury, Excess conductivity and thermally activated dissipation studies in $Bi_2Sr_2Ca_1Cu_2O_x$ single crystals 169 (1990) 43
Manthiram, A., see P. Lightfoot 169 (1990) 15
Manthiram, A., see P. Lightfoot 169 (1990) 464
Maple, M.B., see H. Iwasaki 169 (1990) 146
Marathe, A.P., see D.E. Morris 169 (1990) 386
Marezio, M., A. Santoro, J.J. Capponi, E.A. Hewat, R.J. Cava and F. Beech, Crystal structure, atomic ordering and charge localization in $Pb_2Sr_2Y_{1-x}Ca_xCu_3O_{8+\delta}$ ($x=0$, $\delta=1.47$) 169 (1990) 401
Markert, J.T., see H. Iwasaki 169 (1990) 146
Markiewicz, R.S., Van Hove excitons and high-T_c superconductivity V. Electron–phonon interaction 169 (1990) 63
Massidda, S., Theoretical calculation of electron–positron momentum density in $YBa_2Cu_3O_{7-\delta}$ 169 (1990) 137
Matsushima, T., Y. Ichikawa, H. Adachi, S. Hatta, K. Setsune and K. Wasa, Magnetization measurements on a layered structure of superconducting Bi–Sr–Ca–Cu–O and Ni-ferrite 169 (1990) 285
McCallum, R.W., see Y. Xu 169 (1990) 205
Meisner, G.P. and C.A. Taylor, Factors affecting critical currents determined by the transformer method for the $YBa_2Cu_3O_y$ high-T_c superconductors 169 (1990) 303
Menken, M.J.V., see J.N. Li 169 (1990) 81
Menovsky, A.A., see J.N. Li 169 (1990) 81
Miyatake, T., see K. Yamaguchi 169 (1990) 289
Moodenbaugh, A.R., see Y. Xu 169 (1990) 205
Morales, F., R. Escudero, D.G. Hinks and Y. Zheng, Electron tunneling in superconducting $Ba_{0.6}K_{0.4}BiO_3$ 169 (1990) 294
Morris, D.E., P.K. Narwankar and A.P.B. Sinha, Ca substituted tetragonal 123 superconductor with T_c above 85 K synthesized in 1–15 atmospheres oxygen overpressure 169 (1990) 7
Morris, D.E., A.P. Marathe and A.P.B. Sinha, Destabilisation of 124 and 247 phases of Y–Ba–Cu–O by Fe substitution at elevated oxygen pressures 169 (1990) 386
Moshchalkov, V.V., see A.L. Kharlanov 169 (1990) 469
Muradyan, L.A., see V.I. Simonov 169 (1990) 123
Murrell, J.N., see L.J. Dunne 169 (1990) 501
Muto, Y., see T. Kajitani 169 (1990) 227
Muttik, I.G., see A.L. Kharlanov 169 (1990) 469

Nakamura, F., see T. Tamura 169 (1990) 299
Nakano, S., see Y. Kuwasawa 169 (1990) 39
Narahara, Y., see T. Tamura 169 (1990) 299
Narwankar, P.K., see D.E. Morris 169 (1990) 7
Nieva, G., see H. Iwasaki 169 (1990) 146
Nygren, M., see S.H. Han 169 (1990) 250

Ochiai, Y., see T. Tamura 169 (1990) 299

Ogawa, S., see A.E. Bocquet 169 (1990) 1
Oh-Ishi, K., see T. Kajitani 169 (1990) 227
Osiko, V.V., see V.I. Simonov 169 (1990) 123
Ott, H.R., see A. Schilling 169 (1990) 237
Ott, K.C., see J.D. Thompson 169 (1990) 265

Payne, D.A., see J.R. LaGraff 169 (1990) 355
Pei, S., see P. Lightfoot 169 (1990) 15
Pei, S., J.D. Jorgensen, D.G. Hinks, B. Dabrowski, P. Lightfoot and D.R. Richards, Pressure-induced structural changes in $La_{1.85}Sr_{0.15}CuO_4$ 169 (1990) 179
Pei, S., see P. Lightfoot 169 (1990) 464
Peng, W., C.W. Kimball and B.D. Dunlap, Pseudo-1D magnetic order and fluctuation behavior of 3d-dopants in superconducting $YBa_2Cu_{3-x}Fe_xO_{7+\delta}$ 169 (1990) 23
Plechaty, M.M., see R.C. Taylor 169 (1990) 35
Poddar, A., see P. Mandal 169 (1990) 43
Poppe, U., see C.L. Jia 169 (1990) 279
Požek, M., A. Dulčić and B. Rakvin, Field-modulated microwave absorption in granular superconductors. First and second harmonic signals 169 (1990) 95
Pronin, D.A., see A.V. Bazhenov 169 (1990) 381

Rakvin, B., see M. Požek 169 (1990) 95
Ramakrishna, B.L., see Z. Iqbal 169 (1990) 396
Rapp, Ö., see S.H. Han 169 (1990) 250
Richards, D.R., see S. Pei 169 (1990) 179
Roas, B., see W. Schindler 169 (1990) 117
Roeland, L.W., see J.N. Li 169 (1990) 81

Sabatini, R.L., see Y. Xu 169 (1990) 205
Saemann-Ischenko, G., see W. Schindler 169 (1990) 117
Saikawa, T., see H. Kaga 169 (1990) 485
Saito, Y., see Q.-Z. Zhang 169 (1990) 451
Sakuyama, K., see T. Maeda 169 (1990) 133
Samoilov, A.V., see N.V. Zavaritsky 169 (1990) 174
Santoro, A., see M. Marezio 169 (1990) 401
Sato, H., H. Takagi and S. Uchida, Gap observation by tunneling measurement on superconducting $Ba_{1-x}K_xBiO_3$ thin film. A finite energy gap in $Ba_{1-x}K_xBiO_3$ 169 (1990) 391
Schilling, A., A. Bernasconi, H.R. Ott and F. Hulliger, Specific-heat, resistivity and magnetization study on polycrystalline $YBa_2Cu_4O_8$ 169 (1990) 237
Schindler, W., B. Roas, G. Saemann-Ischenko, L. Schultz and H. Gerstenberg, Anisotropic enhancement of the critical current density of epitaxial $YBa_2Cu_3O_{7-x}$ films by fast neutron irradiation 169 (1990) 117
Schultz, L., see W. Schindler 169 (1990) 117
Seaman, C.L., see H. Iwasaki 169 (1990) 146
Senoh, K., see T. Tamura 169 (1990) 299
Setsune, K., see T. Matsushima 169 (1990) 285
Setsune, K., see S. Adachi 169 (1990) 377
Shafer, M.W., see R.C. Taylor 169 (1990) 35

Shapiro, A.Ya., see I.S. Lyubutin 169 (1990) 361
Shaw, G., S.M. Bhagat, N.D. Spencer, J.E. Crow and S. Tyagi, High temperature superconducting powders. Absence of long time relaxation of magnetization, equation of state for thermoremanent magnetic moment 169 (1990) 257
Shei, C.Y., see Y.T. Huang 169 (1990) 76
Shimada, M., see J. Tanaka 169 (1990) 275
Shivaram, B.S., see G.L. Bullock 169 (1990) 497
Shyu, S.-G., see Y. Xu 169 (1990) 205
Simonov, V.I., L.A. Muradyan, R.A. Tamazyan, V.V. Osiko, V.M. Tatarintsev and K. Gamayumov, Distribution of Sr atoms in single crystals of $(La_{1-x}Sr_x)_2CuO_{4-\delta}$ and the superconducting transition temperature 169 (1990) 123
Sinha, A.P.B., see D.E. Morris 169 (1990) 7
Sinha, A.P.B., see D.E. Morris 169 (1990) 386
Skácel, V., Bi–Sr–Ca–Cu–O thick films prepared by diffusion growth 169 (1990) 413
Sleight, A.W., see J. Huang 169 (1990) 169
Smirnovskaya, E.M., see I.S. Lyubutin 169 (1990) 361
Smith, J.L., see G.H. Kwei 169 (1990) 217
Soltner, H., see C.L. Jia 169 (1990) 279
Song, L.W. and Y.H. Kao, Critical current density of Ag-doped Y–Ba–Cu–O superconductors in low magnetic fields 169 (1990) 107
Spencer, N.D., see G. Shaw 169 (1990) 257
Stollman, G.M., see J.H.P.M. Emmen 169 (1990) 418
Suenaga, M., see Y. Xu 169 (1990) 205
Suga, S., see A.E. Bocquet 169 (1990) 1
Suzuki, N., see K. Yamaguchi 169 (1990) 289
Syono, Y., see T. Kajitani 169 (1990) 227

Takagi, H., see A.E. Bocquet 169 (1990) 1
Takagi, H., see H. Sato 169 (1990) 391
Takagi, Y., see Q.-Z. Zhang 169 (1990) 451
Takahashi, M., see T. Kajitani 169 (1990) 227
Takata, T., see K. Yamaguchi 169 (1990) 289
Tamazyan, R.A., see V.I. Simonov 169 (1990) 123
Tamura, T., F. Nakamura, K. Senoh, Y. Ochiai, T. Terashima, K. Iijima, K. Yamamoto, K. Hirata, Y. Bando and Y. Narahara, Anisotropic magnetoresistance of $GdBa_2Cu_3O_y$ film 169 (1990) 299
Tanaka, J., M. Shimada, K. Kamiya and Y. Tanaka, Transition temperatures of cuprate superconductors 169 (1990) 275
Tanaka, S., see T. Maeda 169 (1990) 133
Tanaka, S., Fermi-liquid approach to the anomalous optical properties in the normal state of oxide superconductors 169 (1990) 271
Tanaka, S., see K. Yamaguchi 169 (1990) 289
Tanaka, Y., see J. Tanaka 169 (1990) 275
Tang, X.-X., see P. Lightfoot 169 (1990) 15
Tang, X.-X., see P. Lightfoot 169 (1990) 464
Tanner, D.B., see T. Timusk 169 (1990) 425
Tartakovskii, I.I., see A.V. Bazhenov 169 (1990) 381

Tatarintsev, V.M., see V.I. Simonov 169 (1990) 123
Taylor, C.A., see G.P. Meisner 169 (1990) 303
Taylor, R.C., M.M. Plechaty, D.B. Beach, J.F. Bringley and M.W. Shafer, A comparison of the oxygen evolution upon acid dissolution of $Ba_{0.6}K_{0.4}BiO_3$, with the copper-based oxides $LaCuO_3$ and $La_{1.85}Sr_{0.15}CuO_4$ 169 (1990) 35
Terashima, T., see T. Tamura 169 (1990) 299
Terentiev, A.N. and A.A. Kuznetsov, Rotation of a levitated $YBa_2Cu_3O_{7-x}$ superconductor due to a low frequency magnetic field 169 (1990) 112
Terziev, V.G., see I.S. Lyubutin 169 (1990) 361
Thompson, J.D., J.R. Cost, G.H. Kwei and K.C. Ott, Changes in $Ba_{0.6}K_{0.4}BiO_3$ produced by fast neutron irradiation 169 (1990) 265
Timofeev, V.B., see A.V. Bazhenov 169 (1990) 381
Timusk, T. and D.B. Tanner, Evidence for strong bound-electron–phonon interaction at 52 meV in $YBa_2Cu_3O_7$ 169 (1990) 425
Tomiyoshi, S., see T. Kajitani 169 (1990) 227
Tosaka, T., see Y. Kuwasawa 169 (1990) 39
Tyagi, S., see G. Shaw 169 (1990) 257

Uchida, S., see A.E. Bocquet 169 (1990) 1
Uchida, S., see H. Sato 169 (1990) 391
Urban, K., see C.L. Jia 169 (1990) 279

Van Tendeloo, G., see T. Krekels 169 (1990) 457

Wada, T., see K. Yamaguchi 169 (1990) 289
Wang, W.N., see Y.T. Huang 169 (1990) 76
Wasa, K., see T. Matsushima 169 (1990) 285
Wasa, K., see S. Adachi 169 (1990) 377
Weger, M., see R. Englman 169 (1990) 314
Wei, Y.N., see S.H. Han 169 (1990) 250
Wolf, S.A., see V.Z. Kresin 169 (1990) 476

Xu, Y., R.L. Sabatini, A.R. Moodenbaugh, Y. Zhu, S.-G. Shyu, M. Suenaga, K.W. Dennis and R.W. McCallum, Substitutions for Cu in $YBa_2(Cu_{1-x}M_x)_3O_{7-\delta}$ (M=Fe, Co, Al, Cr, Ni and Zn) 169 (1990) 205

Yamaguchi, K., T. Miyatake, T. Wada, N. Suzuki, T. Takata, N. Koshizuka, H. Yamauchi and S. Tanaka, Microstructures in $(Y_{0.95}Ca_{0.05})Ba_2Cu_4O_8$ prepared by low and high oxygen partial pressure techniques 169 (1990) 289
Yamaguchi, T., see Y. Kuwasawa 169 (1990) 39
Yamamoto, K., see T. Tamura 169 (1990) 299
Yamauchi, H., see T. Maeda 169 (1990) 133
Yamauchi, H., see K. Yamaguchi 169 (1990) 289
Yan, Y.F., see S.H. Han 169 (1990) 250
Yurgens, A.A., see N.V. Zavaritsky 169 (1990) 174

Zavaritsky, N.V., A.V. Samoilov and A.A. Yurgens, Transport properties of $Bi_2Sr_2CaCu_2O_x$ single crystals with $T_c=95$ K 169 (1990) 174

Zhang, Q.-Z., Y. Takagi, T. Atake and Y. Saito, Temperature dependence of transport critical current in superconducting ceramic $HoBa_2Cu_3O_7$ 169 (1990) 451
Zheng, Y., see F. Morales 169 (1990) 294
Zhou, C. and C.D. Gong, Will saturated ferromagnetism be destroyed for more than one hole? 169 (1990) 245
Zhu, D.-M. and W. Guan, Transport critical currents of a superconducting $HoBa_2Cu_3O_{7-\delta}$ film 169 (1990) 201
Zhu, Y., see Y. Xu 169 (1990) 205

Physica C 169 (1990) 518–519
North-Holland

ANALYTIC SUBJECT INDEX TO VOLUME 169

2D-ACAR
– of $YBa_2Cu_3O_{7-\delta}$ (theory) 137

AC susceptibility
– of $Bi_2Sr_2CaCu_2O_{8+\delta}$ (single crystal) 174
– of $YBa_2Cu_3O_{7-\delta}$ (epitaxial film) 418

$Bi_{1.7}Pb_{0.4}Sr_{2-x}Ca_{2+x}Cu_{3.6}O_y$ (x=0, 0.2, 0.4, 0.6, 0.8) 76
Bibliography of high energy spectroscopy 325
BIS
– of $Bi_2Sr_2CaCu_2O_{8+\delta}$ (single crystal) 1

Charge-density waves instability 63
Critical current density
– of Ag doped $YBa_2Cu_3O_{7-\delta}$ 107
– of $HoBa_2Cu_3O_{7-\delta}$ 451
– of Nb/NbZr multilayer 39
– of $YBa_2Cu_3O_{7-\delta}$ 303
– of $YBa_2Cu_3O_{7-\delta}$ (epitaxial thin film) 117
– of $YBa_2Cu_3O_x$ (thin film) 39
Critical current density (transport)
– of $HoBa_2Cu_3O_{7-\delta}$ (thin film) 201

Defect structures
– in $YBa_2Cu_4O_8$ 457

Electrical resistivity
– of $YBa_2Cu_3O_{7-\delta}$ (single crystal) 355
Electron diffraction
– of $Pb_2Sr_2Y_{1-x}Ca_xCu_3O_{8+\delta}$ (x=0, δ=1.47) 401
Electronic structure
– of $Bi_2Sr_2CaCu_2O_{8+\delta}$ (single crystal) 1
Electron–phonon coupling 63
Energy gap
– in $YBa_2Cu_3O_{7-\delta}$ 476
– of $Ba_{1-x}K_xBiO_3$ (thin film) 391
– of $Bi_2Sr_2CaCu_2O_{8+\delta}$ (single crystal) 436
Excitonic mechanism
– of high-T_c superconductivity 63

Fermi liquid approach 271
Fluctuation effects of the electrical conductivity
– in $Bi_2Sr_2CaCu_2O_{8+\delta}$ (single crystal) 43
Flux creep
– of $YBa_2Cu_3O_{7-\delta}$ (epitaxial film) 418
Flux pinning
– of $YBa_2Cu_3O_{7-\delta}$ (epitaxial film) 418
Formation mechanism of 110 K phase 76

Gas chromatography
– of $Ba_{0.6}K_{0.4}BiO_3$ 35
– of $La_{1.85}Sr_{0.15}CuO_4$ 35
– of $LaCuO_3$ 35
Grain boundaries
– of $HoBa_2Cu_3O_{7-\delta}$ 451

Hall effect
– of $Bi_2Sr_2CaCu_2O_{8+\delta}$ 441
Heavy-fermion compounds
– of URu_2Si_2 497
High field magnetization
– of $YBa_2Cu_3O_{7-\delta}$ (single crystal) 81
High pressure effect
– of Ca doped $YBa_2Cu_3O_{7+\delta}$ 7
– of $Y_2Ba_4Cu_{7-x}Fe_xO_{14-\delta}$ 386
– of $YBa_2Cu_{4-x}Fe_xO_{7-\delta}$ 386
HREM
– in $YBa_2Cu_4O_8$ 457
– of $Tl_{1-x}Ce_xSr_2CaCu_2O_7$ 396
Hubbard model in two dimensions 245

Infrared spectroscopy
– of $YBa_2Cu_3O_{7-\delta}$ 425
– of $YBa_2Cu_3O_{7-\delta}$ (single crystal) 381
Irradiation effect of fast neutrons
– in $Ba_{0.6}K_{0.4}BiO_3$ 265
– in $YBa_2Cu_3O_{7-\delta}$ (epitaxial thin film) 117
Irreversibility line
– of $YBa_2Cu_3O_{7-\delta}$ (epitaxial film) 418
I–V characteristics
– of $YBa_2Cu_3O_{7-\delta}$ 50

Jahn–Teller mechanism for high-T_c superconductivity 314

Kramer's scaling law of the pinning force
– on $YBa_2Cu_3O_{7-\delta}$ (single crystal) 81

Levitation of superconducting $YBa_2Cu_3O_{7-\delta}$ in magnetic fields 112

Magnetic noise of high-T_c superconductors 100
Magnetization
– of $Bi_2Sr_2CaCu_2O_8/NiFe_2O_4$ (thin films) 285
– of $YBa_2Cu_3O_7$ 257
– of $YBa_2Cu_3O_{7-\delta}$ (single crystal) 81
– of $YBa_2Cu_4O_8$ 237
Magnetoresistance
– of $GdBa_2Cu_3O_{7-\delta}$ (thin film) 299
Mass spectrometry
– of $Ba_{0.6}K_{0.4}BiO_3$, LaCuO63, $La_{1.85}Sr_{0.15}CuO_4$ 35
Microwave absorption
– of granular superconductors 95
– of $YBa_2Cu_3O_7$ (thin film) 429
Modulated structures
– of $Bi_2Sr_2CaCu_2O_{8+\delta}$ 441
Mössbauer spectroscopy
– of $GdBa_2Cu_{3-x}Fe_xO_{7+\delta}$ (x=0, 0.15) 23
– of $YBa_2Cu_{3-x}Fe_xO_{7+\delta}$ (x=0.15, 0.30) 23
– of $YBa_2Cu_{3-x}Fe_xO_{7-\delta}$ 361
Multigap structure
– of $YBa_2Cu_3O_{7-\delta}$ 476
Muon spin rotation
– of $ErBa_2Cu_3O_{7-\delta}$ 371

Neutron diffraction
– of $ErBa_2Cu_3O_{7-\delta}$ 371
– of $La_{1.25}Dy_{0.75}CuO_{3.75}F_{0.5}$ 15
– of $La_{1.25}Dy_{0.75}CuO_{4+\delta}$ 15
– of $Pb_2Sr_2Y_{1-x}Ca_xCu_3O_{8+\delta}$ (x=0, δ=1.47) 401
– of $YBa_2Cu_3O_{7-\delta}$ 217
Neutron scattering (inelastic)
– of $La_{1.85}Sr_{0.15}CuO_{4-\delta}$ under high pressure 179

Off diagonal long range order 501
Optical absorption
– in $YBa_2Cu_3O_{7-\delta}$ 425
Ordering of Sr atom
– in $La_{2-x}Sr_xCuO_{4-\delta}$ (single crystal) 123

Organic superconductor (theory) 152
O–T transition
– of $YBa_2Cu_3O_{7-\delta}$ (single crystal) 355
Oxygen diffusion
– in $YBa_2Cu_3O_{7-\delta}$ 193
Oxygen stoichiometry
– of $ErBa_2Cu_3O_{7-\delta}$ 371
– of $Pb_2Sr_2Y_{1-x}Ca_xCu_3O_{8+\delta}$ (x=0, δ=1.47) 401
– of $YBa_2Cu_{3-x}Fe_xO_{7-\delta}$ 361

Phase decomposition
– of $Y_2Ba_4Cu_{7-x}Fe_xO_{14-\delta}$ 386
– of $YBa_2Cu_{4-x}Fe_xO_{7-\delta}$ 386
Phase diagram
– of Ca doped $YBa_2Cu_3O_{7+\delta}$ under high pressure 7
Planar defects
– in $YBa_2Cu_4O_8$ 457
Positron annihilation
– in $YBa_2Cu_3O_{7-\delta}$ 137
Preparation
– of Bi–Sr–Ca–Cu–O thick film (by printing) 413

Raman scattering
– of $Bi_2Sr_2CaCu_2O_{8+\delta}$ (single crystal) 436
– of $YBa_2Cu_3O_{7-\delta}$ (single crystal) 381
Raman scattering (theory) 87
Resistivity
– of $Bi_2Sr_2CaCu_2O_{8+\delta}$ (single crystal) 43, 174
– of $Gd_{1-x}Pr_xBa_2Cu_3O_{7-\delta}$ 146
– of $YBa_2Cu_4O_8$ 237

Solubility limit of impurities
– in $YBa_2Cu_{3-x}M_xO_{7-\delta}$ (M=Fe,Co,Al,Cr,Ni,Zn) 205
Specific heat
– of $YBa_2Cu_4O_8$ 237
Specific heat at T_c 55
Strong electron–phonon coupling
– in $YBa_2Cu_3O_{7-\delta}$ 425
Structural phase transition
– of $Nd_{2-x}Ce_xCuO_{4-\delta}$ 227
Structure
– of $Bi_2Sr_2CaCu_2O_{8+\delta}$ 441
– of $ErBa_2Cu_3O_{7-\delta}$ 371
– of $La_{1.25}Dy_{0.75}CuO_{3.75}F_{0.5}$ 15
– of $La_{1.25}Dy_{0.75}CuO_{4+\delta}$ 15
– of $La_{1.6}Sr_{0.4}CaCu_2O_{6-\delta}$ 377
– of $La_{1.85}Sr_{0.15}CuO_{4-\delta}$ under high pressure 179
– of $La_{1.85}Sr_{1.15}Cu_2O_{6.25}$ 464
– of $La_{2-x}Sr_xCuO_{4-\delta}$ (single crystal) 123
– of $Nd_{1.7}Bi_{0.1}Sr_{0.9}Ca_{0.3}Cu_2O_6$ 169
– of $Nd_{2-x}Ce_xCuO_{4-\delta}$ 227
– of $Pb_2Sr_2R_{1.33}Ce_{0.67}Cu_3O_{10+\delta}$ 469
– of $Pb_2Sr_2Y_{1-x}Ca_xCu_3O_{8+\delta}$ (x=0, δ=1.47) 401
– of (Pb,Cu)(Eu,Ce)$_2$(Sr,Eu)$_2$Cu$_2$O$_x$ 133
– of $Tl_{1-x}Ce_xSr_2CaCu_2O_7$ 396
– of $Y_{0.95}Ca_{0.05}Ba_2Cu_4O_8$ 289
– of $Y_2Ba_4Cu_{7-x}Fe_xO_{14-\delta}$ 386
– of $YBa_2Cu_3O_7$ (thin film; body-centered) 279
– of $YBa_2Cu_3O_{7-\delta}$ 217
– of $YBa_2Cu_{3-x}Fe_xO_{7-\delta}$ 361
– of $YBa_2Cu_{4-x}Fe_xO_{7-\delta}$ 386
Substitution effects
– of Ca in $YBa_2Cu_3O_{7+\delta}$ 7
– of H_{c2} in $Gd_{1-x}Pr_xBa_2Cu_3O_{7-\delta}$ 146
Substitution effects for Cu
– in $YBa_2Cu_{3-x}M_xO_{7-\delta}$ (M=Fe,Co,Al,Cr,Ni,Zn) 205
Superconducting glass model
– in $YBa_2Cu_3O_{7-\delta}$ 50
Superconducting transition temperature (theory) 275
Superconductivity
– of $(Pb_{0.5}Cu_{0.5})(Eu_{3/4}Ce_{1/4})_2(Sr_{7/8}Eu_{1/8})_2Cu_2O_x$ 133
Synthesis
– of $Pb_2Sr_2R_{1.33}Ce_{0.67}Cu_3O_{10+\delta}$ 469
– of $Tl_{1-x}Ce_xSr_2CaCu_2O_7$ 396
– of $Y_{0.95}Ca_{0.05}Ba_2Cu_4O_8$ under high pressure 289

TEM (transmission electron microscopy) study
– of $Y_{0.95}Ca_{0.05}Ba_2Cu_4O_8$ 289
Theory of high-T_c superconductivity 501
Thermal conductivity
– of $Bi_2Sr_2CaCu_2O_{8+\delta}$ (single crystal) 174
Three band Hubbard model 485
Transformer method (critical currents) 303
Tunneling
– of $Ba_{0.6}K_{0.4}BiO_3$ 294
– of $Ba_{1-x}K_xBiO_3$ (thin film) 391
Twinning
– in $YBa_2Cu_4O_8$ 457
Two band model for high-T_c superconductivity 55

Ultrasound attenuation
– of URu_2Si_2 497
Ultrasound velocity
– of URu_2Si_2 497
Upper critical field H_{c2}
– of Bi–Pb–Sr–Ca–Cu–O 250

XPS
– of $Bi_2Sr_2CaCu_2O_{8+\delta}$ (single crystal) 1